

PR-R7-03-10050
Amendment 4
May 6, 2003

Attachment N

Addendum Number 3
Northwest Pipe and Casing/Hall Process Company Superfund Site Groundwater
Groundwater Circulation Well Treatment Systems and Soil Cap



111 S.W. Columbia, Suite 900
Portland, Oregon 97201
503 222 7200 Tel
503 222 4292 Fax

ADDENDUM NO. 3

Project: Northwest Pipe & Casing / Hall Process Company Superfund Site
Groundwater Circulation Well Treatment Systems and Soil Cap

Date: Monday, May 5, 2003

The following additions, revisions, corrections, and clarifications contained herein shall become part of the Contract Documents for the Project, and shall be included in the Scope of Work and Bid Proposals to be submitted. References made below to Specifications and Contract Drawings shall be used as a general guide only. Bidders shall determine for themselves the full scope of work affected by the Addendum items.

SPECIFICATIONS

A. Section 02300

1. Paragraph 2.1. Make the following change:

D. The top 8-inches of Fill soils must meet the following grain size distribution:

US Sieve No.	% Passing	
	Minimum	Maximum
2 in.	100	--
¾ in.	95	100
200	30	40

2. Paragraph 2.1. Add the following:

E. The lower 16-inches of fill soils must meet the following grain size distribution:

<u>US Sieve No.</u>	<u>% Passing</u>	
	<u>Minimum</u>	<u>Maximum</u>
<u>2 in.</u>	<u>100</u>	<u>--</u>
<u>¾ in.</u>	<u>95</u>	<u>100</u>
<u>200</u>	<u>15</u>	<u>40</u>

END OF ADDENDUM NO. 3